

To: Robinson, John H - DNR[John.Robinson@wisconsin.gov]
From: Kamke, Sherry
Sent: Thur 12/15/2016 8:37:51 PM
Subject: Fw: one question for John Robinson

John,

Please see the question below that we have regarding access. We think having any information about the restaurant property's views on remediation access agreement or restrictions would be good information going into our meeting next week.

Sherry A. Kamke

Chief, Underground Storage Tanks Section

U.S. EPA Region 5

Land and Chemicals Division- RCRA Branch

77 W. Jackson Blvd. Chicago, IL 60604

From: Egan, Robert
Sent: Thursday, December 15, 2016 2:25 PM
To: Kamke, Sherry
Subject: one question for John Robinson

Sherry,

When you talk to John, please ask him about access at the restaurant property. We know that REI has an agreement with the owner for installation of the new sets of wells. I am wondering if Dave Larsen had discussed access for purposes of remediation, and if so, whether the owner had expressed any reservations or would only allow certain things to be performed (excavation vs. AS/SVE or something else) due to time constraints or the desire to sell the property.

Thanks.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)